



# Stream Latches & Nightlatches®



## Nightlatches & Streamlatches

### 201 Nightlatch

#### Application

A general purpose nightlatch with inside snib.

Opened by key from outside and by turnknob inside.

Inside snib may be used to hold back or deadlock bolt, so that key will not operate.

#### Features & Specifications

##### Case

High purity zinc alloy.

92 mm wide, 64 mm high, 43 mm projection.

##### Backset

60 mm.

##### Bolt

Brass.

Reversible.

13 mm projection.

##### Door Thickness

28 to 45 mm.

##### Cylinder

5 pin tumbler mechanism.

Brass cylinder and brass barrel.

#### Keying

##### Standard Keying

Supplied individually.

Keyed with two keys per lock.

78,000 key combinations.

Key blank KB2015P.



#### Special Keying

Can be keyed alike, master keyed, grand master keyed, maison keyed or construction keyed in Lockwood security keying systems.

To order, add keying code to catalogue number.

#### Open-Out Strike

Part Number 201-67CP.

#### Standard Finishes

Brown case and strike with:

Florentine Bronze cylinder

Display Pack

201FBDP

Florentine Bronze cylinder

201FB

Bright Chrome cylinder

Display Pack




201CPDP

Bright Chrome cylinder

201CP

Brown case no cylinder

201NOCYL



### 201 Open-Out Strike

For use with nightlatches and streamlatches on outward opening doors.

#### Strike Finishes

Florentine Bronze 201-67FB

Satin Chrome 201-67SC

Chrome Plated Steel 201-67CP

# Nightlatches & Streamlatches

## 100 Nightlatches

### Application

A general purpose nightlatch.  
Opened by key from outside and by turnknob inside.  
Bolt may be held back by turning knob in clockwise direction.

### Features & Specifications

#### Case

High purity zinc alloy.  
92 mm wide, 64 mm high, 43 mm projection.

#### Backset

60 mm.

#### Bolt

High purity Zinc alloy.  
Reversible.  
13 mm projection.

#### Door Thickness

28 to 45 mm.

#### Cylinder

5 pin tumbler mechanism.  
Zinc cylinder and brass barrel.

### Keying

#### Standard Keying

Supplied individually keyed with two keys per lock.  
78,000 key combinations.  
Key blank KB201R5P.



#### Special Keying

Can be keyed alike.  
To order, add KA to catalogue number.

#### Open-Out Strike

Order part 201-67CP.

### Standard Finishes

Brown case and strike with:

Florentine Bronze cylinder

Display Pack

100FBDP

Florentine Bronze cylinder

100FB

Brown case no cylinder

100NOCYL


Bright Chrome cylinder

Display Pack

100CPDP

Bright Chrome cylinder

100CP



## Nightlatches & Streamlatches

### 211 Streamlatch®

#### Application

Medium security general purpose streamlatch.

Key opened from outside and by turnknob inside.

Inside snib may be used to hold back or deadlock bolt so that key will not operate.

#### Features & Specifications

##### Case

High purity zinc alloy.

92 mm wide, 64 mm high, 43 mm projection.

##### Backset

60 mm.

##### Bolt

Brass.

Reversible.

14 mm projection.

##### Door Thickness

28 to 45 mm.

##### Cylinder

5 pin tumbler mechanism.

Brass cylinder and brass barrel.

#### Keying

##### Standard Keying

Supplied individually keyed with two keys per lock.

78,000 key combinations.

Key blank KB2015P.



#### Special Keying

Can be keyed alike, master keyed, grand master keyed, maison keyed or construction keyed in Lockwood security keying systems.

To order, add keying code to catalogue number.

#### Open-Out Strike

Order part 201-67CP

#### Standard Finishes

Bright Chrome all over	Display Pack	211CPAODP	
Bright Chrome all over		211CPAO	
Satin Chrome all over	Display Pack	211SCAODP	
Satin Chrome all over		211SCAO	
Satin Chrome no cylinder		211NOCYL	

# Nightlatches & Streamlatches

## 200 Narrow Stile Streamlatch®

### Application

General purpose streamlatch designed to suit narrow stile doors.

Opened by key from outside and by turnknob inside.

Inside snib may be used to hold back or deadlock bolt so that key will not operate.

### Features & Specifications

#### Case

High purity zinc alloy.

68 mm wide, 57 mm high, 42 mm projection.

#### Backset

38 mm for narrow stile doors.

#### Bolt

Brass.

Reversible.

14 mm projection.

#### Door Thickness

28 to 45 mm.

#### Cylinder

5 pin tumbler mechanism.

Brass cylinder and brass barrel.

### Keying

#### Standard Keying

Supplied individually keyed with two keys per lock.

78,000 key combinations.

Key blank KB2015P

#### Special Keying

Can be keyed alike, master keyed, grand master keyed, maison keyed or construction keyed in Lockwood security keying systems.

To order, add keying code to catalogue number.

#### Open-Out Strike

Order part 201-67CP



### Standard Finishes

Bright Chrome all over	Display Pack	200CPAODP				
Bright Chrome all over		200CPAO				
Satin Chrome all over	Display Pack	200SCAODP				
Satin Chrome all over		200SCAO				

## Nightlatches & Streamlatches

### 213 Streamlock Deadbolt

#### Application

General purpose deadbolt.

Locked or unlocked by key outside and by turnknob inside.

#### Features & Specifications

##### Case

High purity zinc alloy.

92 mm wide, 64 mm high, 43 mm projection.

##### Backset

60 mm.

##### Bolt

Brass.

16 mm projection.

##### Door Thickness

28 to 45 mm.

##### Cylinder

5 pin tumbler mechanism.

Brass cylinder and brass barrel.

#### Keying

##### Standard Keying

Supplied individually keyed with two keys per lock.

78,000 key combinations.

Key blank KB2015P

##### Special Keying


Can be keyed alike, master keyed, grand master keyed, maison keyed or construction keyed in Lockwood security keying systems.

To order, add keying code to catalogue number.



#### Standard Finishes

Bright Chrome all over	Display Pack	213CPAODP
Bright Chrome all over		213CPAO
Satin Chrome all over	Display Pack	213SCAODP
Satin Chrome all over		213SCAO
Satin Chrome no cylinder		213NOCYL





## Nightlatches & Streamlatches

### 201 Brass Cylinder

Suitable for all cylinder rim locks.  
Solid extruded brass cylinder.  
Solid extruded brass barrel.  
5 pin tumbler mechanism.



#### Standard Cylinder Finishes

Florentine Bronze	Display Pack	201CYLFBDP
Florentine Bronze		201CYLFB
Bright Chrome	Display Pack	201CYLCPDP
Bright Chrome		201CYLCP
Satin Chrome	Display Pack	201CYLSCDP
Satin Chrome		201CYLSC
Satin Brass		201CYLSB
Polished Brass		201CYLPBP

#### Heavy Duty Cylinder Finishes

Florentine Bronze	201-252FB
Bright Chrome	201-252SC

### 100 Zinc Alloy Cylinder

As supplied with the 100 Nightlatch.  
High purity zinc alloy cylinder.  
Solid extruded brass barrel.  
5 pin tumbler mechanism.



#### Standard Finishes

Florentine Bronze	Display Pack	100CYLFBDP
Bright Chrome	Display Pack	100CYLFBDP



**Visit us at: [www.lockwoodsecurity.com.au](http://www.lockwoodsecurity.com.au)**

## **Sales Offices & Authorised Agents**

### **Victoria – Head Office**

50 Edward Street  
Oakleigh Vic. 3166  
Telephone (03) 8574 3888  
Facsimile (03) 8574 3788

### **Queensland South**

450 Sherwood Road  
Sherwood Qld 4075  
Telephone (07) 3373 5200  
Facsimile (07) 3373 5256

### **Queensland North**

Ralph Buck Agencies  
15 Mackley Street  
Garbutt Qld 4814  
Telephone (07) 4779 0177  
Facsimile (07) 4775 1480

### **New South Wales**

Unit 7, 192 Kingsgrove Road  
Kingsgrove NSW 2208  
Telephone (02) 9554 4011  
Facsimile (02) 9554 3772

### **South Australia**

182 Magill Road  
Norwood SA 5067  
Telephone (08) 8364 1930  
Facsimile (08) 8364 1931

### **Western Australia**

45 Gladstone Street  
East Perth WA 6004  
Telephone (08) 9227 9588  
Facsimile (08) 9227 8913

### **Tasmania**

23 Antill Street  
South Hobart Tas. 7000  
Telephone (03) 6223 5404  
Facsimile (03) 6224 0435

### **Northern Territory**

Taylor Enterprises  
Lot 1360 Makagon Road  
Berrimah NT 0828  
Telephone (08) 8984 3653  
Facsimile (08) 8947 0082

### **New Zealand**

9B Mahunga Drive  
Mangere Bridge  
Auckland New Zealand  
Telephone (09) 634 5590  
Facsimile (09) 634 5589

### **Export Department**

50 Edward Street  
Oakleigh Vic. 3166  
Telephone +61 (0)3 8574 3888  
Facsimile +61 (0)3 8574 3700



### **Manufacturing Plants**

#### **Victoria**

50 Edward Street  
Oakleigh Vic. 3166  
Telephone (03) 8574 3888  
Facsimile (03) 8574 3788

#### **Queensland**

450 Sherwood Road  
Sherwood Qld 4075  
Telephone (07) 3373 5200  
Facsimile (07) 3373 5256

### **Asian Offices**

**ASSA ABLOY – Malaysia**

**ASSA ABLOY – Singapore**

**ASSA ABLOY – Thailand**

**ASSA ABLOY – Hong Kong**

**ASSA ABLOY – Shanghai**

**ASSA ABLOY – Beijing**

Contact the Export Department, Australia for details.

### **Worldwide Distributors**

Contact the Export Department, Australia for details.



## **Lockwood Guarantee**

Lockwood Security Products Pty Limited ("Lockwood") guarantees its products against defects in workmanship and materials. If within the normal working life of a product it is found to be defective, Lockwood will supply the same or an equivalent product free of charge.

All electrical components used in our products are guaranteed for a period of five years from the date of manufacture. Lockwood however, assumes no liability under this guarantee for the following:

1. Improper installation or failure to follow fitting instructions.
2. Failure due to improper maintenance or fair wear and tear.
3. Indirect or consequential loss or damage.
4. Cost of removal and/or replacement.

5. Cost of freight and/or travelling time.

6. The plated finishes, Florentine Bronze, Architectural Bronze, Polished Brass, Gold and Satin Brass are classified as soft finishes. As deterioration is possible under some climatic conditions, these finishes are excluded from this guarantee.

7. Any modification to a product as supplied, or repairs, unless authorised by Lockwood.

8. Use of replacement parts other than authorised parts.

9. Malfunction or failure of the product due to the use of non-genuine Lockwood parts.

Nothing in the Lockwood guarantee excludes, restricts or modifies any condition, warranty, right or liability implied or protected by law where to do so would render the Guarantee, or any part of it, void.

