

Technical Documentation

PORTEO













PORTEO –the door assistant that adds convenience to doors

The PORTEO offers an innovative and convenient way to open and close doors effortlessly. With all the elegance of the DORMA Contur design, the PORTEO is specifically suited to interior doors, performing all the functions needed to make life just that little bit easier for all. High-quality DORMA technology makes the PORTEO particularly easy to operate with minimum noise, high functional reliability and excellent application adaptability. The PORTEO is an integrated solution that comes in a complete package with slide channel and mounting backplate. It offers outstanding convenience and safety plus fast and easy installation, thanks to its impeccable "plug&go" credentials.

The PORTEO can be further functionalised with original DORMA system accessories to give even more operating convenience, user-friendliness and enhanced safety. In combination with an optional pushbutton and an electric strike, for example, the door can be simply opened with fingertip control. For even greater opening and closing convenience, there is also a handheld transmitter available there's simply no more flexible a system. The PORTEO is the inexpen-

sive solution for opening and closing doors the convenient way. Safe, reliable and readily retrofittable.

Certified to ISO 9001

Applications	
Interior doors, single-leaf 🗵	
Door leaf width	≤1100 mm
Door leaf weight, max.	80 kg

PORTEO technical data		
Transom-fixed/Leaf-fixed Push-side/Pull-side	•	
Non-handed	•	
Latching action with on/off switch	•	
Dimensions H x W x D	60 x 530 x 80 mm	
Weight	3,2 kg	
Power supply data	230 V AC, 50/60 Hz	
Power supply to external loads	24 V DC, 300 mA	
Class of protection	IP 20	
Low-energy mode	•	
Compliant with DIN 18650	•	
(€ marking	•	
GS mark, TÜV-approved	•	

Adjustable parameters	
Opening time (0°-90°) adjustable	5 to 10 sec.
Closing time (90°–0°) adjustable	5 to 10 sec.
Hold-open time adjustable	5 to 30 sek.*
Opening angle adjustable, max.	110°

* in operating mode PowerLess 0.5 to 30 sek.

O Option

Benefits point for point


- Door assistant for swing doors
- Effortless opening and closing of swing doors up to a width of 1100 mm and a leaf weight of 80 kg.
- Compact dimensions 60 x 530 x 80 mm (H x W x D), particularly suitable for use in conjunction with narrow-stile and standard profile door systems.
- Extremely low overall height of just 60 mm.
- One model for all four fixing options: pull and push side, transom-fixed or leaf-fixed

- Easy installation thanks to "plug&go" supply, with standard mounting backplate
- Near-silent operation
- In DORMA Contur design, cubic lines, winner of the 2005 red dot award and "Le Janus de l'Industrie 2007"
- GGT-approved



Standard function modes	
PowerLess	•
Push&Go	•
PowerMotion	•
PermanentOpen	•
Obstruction detection	•
Anti-tamper safety disconnection	•

Prepared for following accessories			
Electric strike, e.g. DORMA Basic model	0		
Hand-held transmitter, e.g.			
DORMA RC-T HandHeld	0		
Pushbutton, e.g. DORMA System 55 devices	0		



Standard



Standard functions

Operating mode		Door equipment	Settings Programme Potentiometer	
Powerless	PowerLess Effortless manual door opening. Door closes automatically following individually preset hold-open time.	Standard lockLever handle	I	1 Speed HowerLess Position
PusheGo	Push&Go Once door opened manually 3°, automatic door opening function initiated. PORTEO then closes the door again automatically after pre-set hold-open time.	Standard lockLever handle	I	Opening and closing time adjustable. Factory setting 10 sec. (max.) 2 Hold-open time adjustable
PowerMotion	PowerMotion Automatic opening and closing of door in combination with an electric strike and external activators such as manual pushbutton, radio remote control or transponder. As soon as signal transmitted and electric strike released, door automatically opens and then closes again after pre-set holdopen time.	Standard lockElectric strikeExternal activator	I	
	PermanentOpen This function enables the door to be held open for as long as required. Door closes again on receipt of new signal, activated either from the programme switch (door lock must be disengaged) or by pressing a pushbutton twice (current impulse relay function).		II	

Programme switch modes



Switch position **0** = OFF




Switch position I = PowerMotion




Switch position II = PermanentOpen







Transom-fixed, pull side (Example refers to left-hand (ISO 6) door; mirror image applies to right-hand (ISO 5) door)



Transom-fixed, push side (Example refers to left-hand (ISO 6) door; mirror image applies to right-hand (ISO 5) door)




Plug&Go Power connector for mains outlet (Example refers to left-hand (ISO 6) door; mirror image applies to right-hand (ISO 5) door)








Leaf-fixed, pull side (Example refers to left-hand (ISO 6) door; mirror image applies to right-hand (ISO 5) door)




Leaf-fixed, push side (Example refers to left-hand (ISO 6) door; mirror image applies to right-hand (ISO 5) door)









- 1 Power feeder, permanent connection
- 2 2-pole-and-earth socket
- 3 Internal pushbutton
- 4 External pushbutton
- 5 Electric strike



Mounting backplate 30 mm or 40 mm

For fixing the slide channel to door frames for which direct installation is not possible.







Angle bracket

For fixing the slide channel to door frames with a deep top jamb, for push-side transom fixing.

For top jamb depths of -20 to +200 mm with optional

projecting arm assembly






Glass saddle plate

For fixing the slide channel to all-glass doors – no glass machining necessary.

Transom-fixing on the pull side only.



Optional activators, radio receivers, electric strikes



Manual pushbutton, System 55



Radio transmitter RC-T HandHeld




Radio receiver RC-R



Electric strike type Basic





Colour xx Silver 01 White (sim. to RAL 9016) 11

Specification text for the DORMA PORTEO Door Assistant

Electro-mechanical door assistant operating in low-energy mode (for force limitation) to DIN 18650, including slide channel and mounting backplate, with CE mark, in DORMA Contur design.

Operating options:
PowerLess (effortless opening, automatic closing) or
PowerMotion (automatic opening and closing).
Opening and closing speeds, hold-open time and opening angle adjustable.
Latching action as standard.
Non-handed. Mounting backplate with universal fixing hole pattern. For transom or leaf-fixing on the pull or push side.

Door parameters

- Single-leaf interior doors, not suitable for fire and smoke check doors
- Door parameters
- Single-leaf interior doors, not suitable for fire and smoke check doors
- Door leaf widths: max. 1100 mm (dependent on door weight)
- Door leaf weight per leaf: max. 80 kg (dependent on door width)
- Opening angle per door leaf: min. 100° in any fixing pattern
- Operator dimensions:
 60 mm x 530 x 80 mm
 (H x W x D)
- Programme switch operating modes (0 I II):
 0 = OFF, I = PowerMotion,
 II = PermanentOpen

Extended functional options:

- PowerLess (adjustable via potentiometer)
- Push&Go (always active in the PowerMotion mode)
- Power supply data: 230 V AC, 50/60 Hz, integrated system ready for connection

Model particulars

☐ Complete package including slide channel and mounting backplate suitable for all four fixing patterns

Colour

- ☐ Silver
- ☐ White, sim. to RAL 9016

Electric strike options:

- ☐ Fail-secure; closes when de-energised;
 Type:
- ☐ Fail-safe, opens when de-energised;
 Type:

Activator options:

- ☐ Manual pushbutton; Type:
- ☐ Hand-held transmitter; Type:
- ☐ Receiver for hand-held transmitter;Type:

Tested according to the "Guidelines for Powered Windows, Doors and Gates", BGR 232, DIN 18650-1/2 (12/2005 issue), EMC (CE mark), GS mark (TÜV type approval test) and VDE regulations, latest issue in each case. Manufacture certified to ISO 9001.

Make: DORMA Porteo

Porteo

MN 053 306 51532, 08/07, PORTEO, GB, x. DD. xx/07









Automatic

Door Control



Glass Fittings and Accessories



Security/Time and Access (STA)



Movable Walls

DORMA worldwide

Central Europe

DORMA GmbH + Co. KG Breckerfelder Str. 42-48 D-58256 Ennepetal Phone +49 2333 793-0 +49 2333 793-495 Fax

Australia

DORMA Door Controls Pty. Ltd. 46-52, Abbott Road Hallam/Victoria 3803 Australia Phone +61 3979 63555

DORMA BWN Automatics Pty. Ltd. 46-52, Abbott Road Hallam/Victoria 3803

Australia Phone +61 3979 64111 Fax: +61 3979 63767

Fax +61 3979 63955

China/Hong Kong

DORMA Door Controls (Suzhou) Co. Ltd. No. 9, Hong Feng Road Suzhou Singapore Industrial Park Suzhou, 215021 P.R. of China

Phone +86 512 67612481 Fax +86 512 67614582

DORMA Door Controls Ltd. Room 701, Technology Plaza 651 King's Road North Point Hong Kong Phone +852 25034632 Fax +852 28875370

Emerging Markets

DORMA GmbH + Co. KG Breckerfelder Str. 42-48 D-58256 Ennepetal Phone +49 2333 793-0 Fax +49 2333 793-495

DORMA Door Controls (Pty.) Ltd. Kings Court, 4A Mineral Crescent ZA-2000 Crown/Gauteng South Africa Phone +27 11 8300280

Fax +27 11 8300291

Far East

DORMA Far East Pte. Ltd. 31 Gul Lane Singapore 629425 Phone +65 6268 7633 +65 6265 7995 Fax

France

DORMA France S.A.S. Europarc 42, rue Eugène Dupuis F-94046 Créteil Phone +33 1 41942400 +33 1 41942401

DORMA Accueil S.A.S. ZAC de l'Echangeur Rue Saint Eloi F-73100 GRESY SUR AIX Phone +33 4 79348924 Fax +33 4 79348923

DORMA Gulf Door Controls FZE Jebel Ali Free Zone South Plot No. S 20135 Road No. SW 301 G P.O. Box 17268 Dubai - United Arab Emirates Phone +971 4 8020400 +971 4 8869100/8869101

DORMA Arabia Automatic Doors Ltd. P.O. Box 1633 Dammam 31441 Kingdom of Saudi Arabia Phone +966 38 472394 Fax +966 38 472368

North America

DORMA Architectural Hardware DORMA Drive, Drawer AC Reamstown, PA 17567-0411 Phone +1 800 5238483 +1 800 2749724 Fax

DORMA Automatics, Inc. 924 Sherwood Drive Lake Bluff, IL 60044 - USA Phone +1 877 367-6211 Fax +1 877 423-7999

Scanbalt

DORMA Sverige AB Datavägen 20 SE-43632 Askim Phone +46 31 289520 +46 31 281739 Fax

South America

DORMA Sistemas de Controles para Portas Ltda. Av. Piracema, 1400 Centro Empresarial Tambore CEP 06460-933 Barueri/ São Paulo, Brasil Phone +55 11 46899200 +55 11 46899215 Fax

South-East Europe

DORMA Austria GmbH Pebering Strass 22 A-5301 Eugendorf Phone +43 6225 284880 +43 6225 28491

DORMA AKS Automatic GmbH Pebering Strass 22 A-5301 Eugendorf Phone +43 6225 8636-0 Fax +43 6225 265900

South Europe

DORMA Italiana S.r.I. Via. Canova 44/46 I-20035 Lissone (MI) Phone +39 039 244031 +39 039 24403310

DORMA Ibérica, S.A. Camino San Martín de la Vega, 4 E-28500 Arganda del Rey (Madrid) Phone +34 91 8757850 Fax +34 91 8757881

UK/Ireland

DORMA UK Ltd. Wilbury Way, Hitchin GB-Hertfordshire SG40AB Great Britain Phone +44 1462 477600 Fax +44 1462 477601

